7.10f2

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Ranson, T.R	· Estate	_Operator Well	No.: <u>Putnam La</u> :	nd 9	
LOCATION:	Elevation: 946.5	50'	_ Quadrangle:	Sissonville		
	District: Riple					
	Latitude:	-	•			
	Longitude:					
	-	<del> </del>				
Well Type: C	OILGAS _X					
	Cabot Oil & Ga					
	5 Penn Center			urt St	<u>.                                    </u>	
,	Pittsburgh PA		\	ntown PA 1540		<del></del>
Agent	Brian Hall	or Own			•	
Permit Issue	d Date 8/8/	12				
						<del></del>
STATE OF W	EST VIRGINIA,	,	AFFIDAVIT		,	
County of Li	*					
2		7			•	
Roger McC	omas and	Joey Nelson	and Ellina all and a	_being first duly sv	worn according to law	depose
	ey are experienced in t and participated in the					
	day ofJan/				llowing manner:	nced on
	9	<i>b</i>				
TYPE	FROM	TO	PIPE REM	OVED	LEFT	
Gel Hole Pull 1-1/2	Surface	5251 <b>'</b> 5206 <b>'</b>	52061		0	A-W
Cement.	5251'	5090 <b>*</b>	3200			<del>/ 101</del>
Cement	5086'	4986				4
Cement	2618'	2400	Perf. 7" -	2560'-2540'/2	2100'-1924'	<del></del>
Cement	2108'	1800				
Cont'd on	page 2					
Doggription	fmanumont. Tasaat		- ADT# 47 02	E 0007070		1.0111
	f monument: <u>Erect</u> empleted on the <u>21</u>		1 API# 47-03	55-000/and that tr	ne work of plugging an	d filling
		C	, 20_13	1311	P18 1	41114674344674467713477714113
And further of	eponents saith not.	Doge !	112/000	ر آ مهد	OFFICI	AL SEAL sig Of West Virginia
		n h.1			MICHAEL	EMINNEY
		- Gary W	9011	<b>[</b> /	<b>E</b> reca	ering Pines
Sworn and s	ubscribe before me this	sd_day of	anuar/2	20/3//	My Commission Ex	oles Ostobel 7, 2022 \(\bar{\bar{\bar{\bar{\bar{\bar{\bar{
	_		011-	11/4/	JUNTO	_
wy commission	expires: <u>/0-7-2</u>	ULL	Not	ary Public		2013
A 200 L 11				· ·	Office of Oil and	_
Anidavit reviewe	ed by the Office of Oil a	ind Gas:		Title:	Office of Oil and V Dept. of Environment	Gas al Pro
						- rotection

P. 20f2

### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:_]	Ranson, T.R	- Estate	_Operator V	Vell No.: <u>Putr</u>	am Land 9		
LOCATION: 1	Elevation: 946.5	50'	_ Quadranç	gle: <u>Sisson</u> y	rille	_	
i	District: Riple	ey	_ County:	Jacksor	1		
	10 mm	Feet South of					
		Feet West of					
,	Longitude.	T cet west of		9			
Well Type: Ol	IL GAS _X						¥2
		Corp Coal O			nd Co.		
-		Ste 401 or Own		Court St		<u> </u>	
P <u>:</u>	ittsburgh PA 1				15401		
Acont I	D 11 - 1 1	or Own	perator		an and an analysis of the same	<del>.</del>	**
Permit Issued	Brian Hall d Date 8/8/						
1 CIMIT 155GCC			-			<del></del>	£1
		A	FFIDAVIT	15		£ 2	
STATE OF WE	ST VIRGINIA, nco1nss:		2			**	ε
County of	icom ss.			•	69		
		d Joey Nelson					
		the work of plugging a					
		work of plugging ar , 20 <u>1</u> 3 and the					
110 <u>401</u>	_ day or _ dans	, 20_10 and the	won was pla	gged and illed i	. the temetring that		
TYPE	FROM	ТО	PIPE	REMOVED	LEI		4 /
Pu11 7"		1782'	178	2'	3337	1	O news
Cement	1768'	1550'					WARD DE
Cement Cement	1258' 952'	1100' 850'			10-3/4" -	8081	V. Ale
Cement	204'	Surface		***	10-3/4 -		7
ocmetre .	204	bullace			-	10001	
Had to repu	mp 1st plug,	tag at 5090'				Recei	Charles of the state of the sta
			ADT# 17	025 000700		. 1114.	- (1
Description of	monument: Erect	monument with _day of <u>Jan</u>	API# 4/-	33-0007 9and	that the work of p	2013	
salu Well Was Co	impleted on the	_ day or _ <u>5 arr</u>	.20_1	<b>∹</b> ,	uulkkumuu Ora	ក្សភូ ការពីពីពីពីពីពីពីពីពីពីពីពីពីពីពីពីពីពីពី	mainan
And further de	eponents saith not.	hopen!	11-10-	22200	= ~ . Of	OFFICIAL SEAL OF West	=
		2 21	,			MICHAEDE MINNEY	
		grey les	ion			233 Whispering Rings Alum Greek, WV 2500	
Sworn and su	bscribe before me th	is 3 day of 5	anvar/	20 / 3/	My Co	mmission Expires Octob	er 7, 2022 <u>≡</u>
			01/1	1-1/4/			
My commission 6	expires: 10-7-2	1072	10/0/0	uly /		>	
		/).	LI	Notary Public		-/212	
Affidavit reviewed	d by the Office of Oil	and Gas: ASMADO	Deve.	The state of the s	Title: _2/2	1/2010	
			<i></i>		MILLEDI	2 punta Glask	peter
					INVINCE C	1 . 10 miles	

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	EL Ryan #1		_Operator Well No.:	5150	
LOCATION:	Elevation: 1129.1	5	_ Quadrangle: Glo		
	District: Mannin		County: Ma	rion	<del></del>
		Feet South of		Min 29.1 s	<del></del>
		Feet West of			Sec.
	Longitude.	1 cet west of	Deg	IVILLIT.	_3ec.
Well Type: 0	OIL X GAS _				
Company	Consolodation	Coal Co. Coal O	perator Consolodati	on Coal Co.	
	1 Bridge Street	or Own	er 1 Bridge Str	eet	
	Monongah WV 2655		Monongah \	NV 26554	
A	Ronnie Harsh		perator		
Agent Permit Issu		or Own	er		<del></del>
i cilint issu	Cu Date <u>02-14-</u>	2013			
,ar 1			AFFIDAVIT		
	/EST VIRGINIA, ner ss:				
Doug Morris	aı	nd Steve Welch	bei	ng first dulv sworn	according to law depose
			and filling oil and gas	wells and were employ	yed by the above named
well operator, the 3rd	, and participated in th	e work of plugging a , 20 <u>13</u> , and the	nd filling the above w	ell say that said wo	ork was commenced on
uie	uay or	, 20 <u>10</u> , and the	well was plugged an	a lilled in the followin	ig manner:
TYPE	FROM	TO	PIPE REMOV	ED	LEFT
expandable cem		2100	2 3/8" tubing 21	14'	0
expandable cem		988	5 1/2" casing 21		368'
Thixotropic expandable cem	988 lent 680	680 surface	7" casing 760		unknown
expandable cen	leik 000	Surface	13 " casing (	<u>'                                    </u>	20'
Description	of monument: 77" of 7"	casing with co. name	,well # & API#.	and that the wo	ork of plugging and filling
said well was	completed on the 1st	day of <del>May</del>	, 20 <u>13</u> .		***************************************
And further	deponents saith not.	An I	M. '~	AT .	OFFICIAL SEAL COMMISSIONER
7 010 1010101	deponents salti not.	(),	1		State of West Virginia
		Stewn	will.		JAMES D. POLING
Sworn and	subscribe before mo +	his 30 hay of M	<b>a</b> 20 .	.3	Ryeldinggon, WV
Official and	adagoine neivie ille (	uay or 710	, 20_	$\frac{1}{2}$	Childs of Gil & Gas
My commissio	n expires: <u>9-18-1</u>	2	10-	<del>-</del> Z	<del></del>
			Notary	Public	JUN 1 4 2013
Affidavit review	ved by the Office of Oi	il and Gas:	Hudesk	Title: € &	DY HOME WAY INSPECTOR

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

### AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name: 1	ENNINGS STIAN	VMD, N4B:N	Operator Well	No.: 8092	70	• "	
	Elevation: /174			RADNOR		•	
	District: LINCO		County:	WAYNE	1	RECEIVED	
ļ	Latitude: (N) 38	3.0295513		000.770		RECEIVED Office of Oil & Ga	
		2.4124496				Onice of Off & G	35
•	congitude. (V)	(				JUN 1 8 2013	
Well Type: Of	IL GAS			-		:	
• •						WV Department	nf.
Company Cu	ESAPEANE HPPAN	ACHA, LLCCoal C			P NV , ELLS	Aconmental Prote	otion
7	0 Box 18496	or Ow	ner <u>926</u>	4 IWELVE I	POLE CLEE	Z ROAD	CHOH
<u>U</u>	KLAHOMA CITY	, OK 73154-04	96 <u>Dun</u>	LOW, WV Z			
Agent 6	FRIC GUIDE	PIE or Own	Operator Rock	SPRINGS D	EVELOPMEN	<i>√</i>	
Permit Issued	Date 3-19-	20/3		- LYNN N	1/ -001		
	<u> </u>		<u> </u>	LYNN , M	N 25512		
STATE OF WE	ST MEGINIA	ı	AFFIDAVIT				
STATE OF WE	WE SS:					•	
_		0	2				
MICHARD	/1/00RE an	d GROVEN L	JUTLER	_being first duly	sworn according	ng to law depose	
well operator a	y are experienced in	the work of plugging	and filling oil and	226 Malla and	المالينية المستسمية		
the 2 2 2	day of MAY	e work of plugging a	and filling the above	ve well say that	said work was	commenced on	
			o well was plugger	and illed in the	tollowing man	ner:	
TYPE	FROM	ТО	PIPE REA	MOVED	LEF	T	
CEMENT CEMENT	/530'	/380'					
CEMENT	750'	850'		= 31/2"	196'	F 31/2"	
CEMENT	2301	600'	640' OE	85/8"	41" OF	85/8"	
X 610 G	EL BETWEEN	ALL CEM	ENT PLUC	5			
Description of	monument: 1" Cas	ING 36" ABOVE	GRANDS W	10, 149			
said well was co	mpleted on the 877	_day of _MAY	, 20/ <i>3</i> .	and that	the work of pl	ugging and filling	
•	<del></del>	Different	10-20				
And further de	eponents saith not.	Tichara	W // 100cl	Emminion	OFFI	CIAL SEAL	
		prover Bu	.40a .	A TOP OF THE PERSON NAMED IN COLUMN TO THE PERSON NAMED IN COLUMN	ATON 85	WEST VIRGINIA RY PUBLIC	
•		14			Erici	], Moore Box 252 (2) / ]	
Sworn and su	bscribe before me th	is <u>AD</u> day of	Nay /	20/3	A Charice	r WV 28276	
My commission e	expires I. Alla	2019	Show	WEGGO		Expires Feb. 16, 2019	
,	A PORTO	/	- Jack		JUN	<sup>4</sup> 2013	
		11/1		pary Public		· <del>-</del>	
Affidavit reviewed	by the Office of Oil	and Gas	·	Title	e: C reaf	Oil and Gas	
				· · · · · · · · · · · · · · · · · · ·	WV Dep	Commental Protection	

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

### AFFIDAVIT OF PLUGGING AND FILLING WELL

	TEARTNOOD	FORESTLAN,	2 Operator Well No.:	802040	
LOCATION: I			Quadrangle: RADW	— <del>—</del>	
	District: LINCO	LN	County: WAYNE	<u> </u>	
	atitude: (W) 3		County. <u>FV HYNE</u>		
	ongitude: (W)				
			· OP		
Well Type: OI	LGAS	_			•
Company CH	ESAPEAKE APA	ALACHIA, Coal	Operator POCAHONTA	95 LAND CORP.	
P <u>e</u>	130x 18496	or Ov			•
$o_{\underline{k}}$	73154 - 0	, O/C	BLUEFIELD	, WV 24701	-
			Operator		EIVED
Agent ER	Date 1. GILL	OF OV	vner	Office of	Oil & Gas
1011111 155400	7-30	-20/3	<del></del>		On & Gas
STATE OF IME	8T\#D0\\\		AFFIDAVIT	JUN 1	8 2013
STATE OF VALE	9 NE SS:				•
RICHARD and say that they	MooR€ and y are experienced in t	i	Burrer being first of gand filling oil and gas wells and	duly sworn according to law CE	artment of al Protecti
					ned on
the 25TH	_day ofAPRIS		and filling the above well say the well was plugged and filled i		on
the 25TH	_ day ofAPRIS	2. 20/3 and th			on
TYPE CEMENT	FROM 1250	20/3 and th	he well was plugged and filled i	that said work was commenced in the following manner:	on
TYPE (SEMENT)  (SEMENT)	FROM 1250'	TO //60 '	he well was plugged and filled i	that said work was commenced in the following manner:	on
TYPE CEMENT CEMENT CEMENT	FROM 12501 1460' 900'	TO //60' //50'	he well was plugged and filled i	that said work was commenced in the following manner:	on
TYPE (SEMENT)  (SEMENT)	FROM 1250'	TO //60 '	PIPE REMOVED  11001 OF 23/8" Tu	that said work was commenced in the following manner:  LEFT  SWG 360' OF 23/8	on
TYPE CEMENT CEMENT CEMENT	FROM 1250' 1660' 900' 450' 170'	TO //60 ' //000 '	PIPE REMOVED  //OC/ OF 23/8"TU	that said work was commenced in the following manner:  LEFT  SW6 360' OF 23/8	on
TYPE CEMENT CEMENT CEMENT	FROM 1250' 1660' 900' 450' 170'	TO //60 ' //000 '	PIPE REMOVED  //OC/ OF 23/8"TU	that said work was commenced in the following manner:  LEFT  SWG 360' OF 23/8	on
TYPE CEMENT CEMENT CEMENT CEMENT CEMENT CEMENT CEMENT	FROM 1250' 1460' 450' 170' GEL BETA	TO / 160 ' / 1000 '	PIPE REMOVED  11001 OF 23/8"TU  160' OF 7" CASIA  CEMENT PLUGS  (E GROUND S/AP) THG and	that said work was commenced in the following manner:  LEFT  SWG 360' OF 23/8  APROX. 1260'	on
TYPE CEMENT CEMENT CEMENT CEMENT CEMENT CEMENT CEMENT CEMENT CEMENT	FROM 1250' 1450' 170' 450' 170'  GEL BETW monument: 7"Ca: mpleted on the/3	TO //60 ' //000 '	PIPE REMOVED  //OO' OF 23/8"TU	that said work was commenced in the following manner:  LEFT  SWG 360' OF 23/8	on
TYPE CEMENT CEMENT CEMENT CEMENT CEMENT CEMENT CEMENT CEMENT CEMENT	FROM 1250' 1460' 450' 170' GEL BETA	TO / 160 ' / 1000 '	PIPE REMOVED  11001 OF 23/8"TU  160' OF 7" CASIA  CEMENT PLUGS  (E GROUND S/AP) THG and	that said work was commenced in the following manner:  LEFT  SWG 360' OF 23/8  APROX. 1260'	on
TYPE CEMENT CEMENT CEMENT CEMENT CEMENT CEMENT CEMENT CEMENT CEMENT	FROM 1250' 1450' 170' 450' 170'  GEL BETW monument: 7"Ca: mpleted on the/3	TO / 160 ' / 1000 '	PIPE REMOVED  11001 OF 23/8"TU  160' OF 7" CASIA  CEMENT PLUGS  (E GROUND S/AP) THG and	that said work was commenced in the following manner:  LEFT  WG 360' OF 23/8  ARROX . /260'  d that the work of plugging and filling the following manner:	on
TYPE CEMENT CEMENT CEMENT CEMENT CEMENT CEMENT CEMENT And further de	FROM 1250' 1660' 900' 450' 170'  GEL BETW monument: 7"Ch: mpleted on the/s eponents saith not.	TO  / 160 '  / 000 '  / 50'  350'  0'  EEN AU  SING 36"ABIN  Today of) May  Y (C/) Oxio	PIPE REMOVED  11001 OF 23/8"TU  160' OF 7" CASIA  CEMENT PLUGS  (E GROUND S/AP) THG and	that said work was commenced in the following manner:  LEFT  LEFT  AWG 360' OF 23/8  d that the work of plugging and filling of the following manner:  CFECTAL SEAL CONTROLL SEAL CONTRO	ng
TYPE ('EMENT ('EMENT CEMENT CEMENT CEMENT CEMENT CEMENT And further de	FROM 1250' 1660' 900' 450' 170'  GEL BETW monument: 7"Ch: mpleted on the/s eponents saith not.	TO  / 160 '  / 000 '  / 50'  350'  0'  EEN AU  SING 36"ABIN  Today of) May  Y (C/) Oxio	PIPE REMOVED  PIPE REMOVED  11001 OF 23/8" TU  160' OF 7" CASIM  CEMENT PLUGS  (E GROWN NAP) THY and  2013.  Disters  Way 2018	that said work was commenced in the following manner:  LEFT  LEFT  AWG 360' OF 23/8  d that the work of plugging and filling the following manner:  OFFICIAL SEARCH PUBLIC FICE J. Moore PO Box 252  My Commission Explosion Replies Rep.	ng
TYPE CEMENT CEME	FROM 1250' 1250' 1250' 1250' 1250' 1250' 1250' 1250' 1250' 1270' 1250' 1	TO  1000'  1000'  150'  350'  0'  Gay of May  Sing 36"ABov  Tay of May  Jay of May  Aday of May	PIPE REMOVED  11001 OF 23/8"TU  160' OF 7" CASIA  CEMENT PLUGS  (E GROUND S/AP) THG and	that said work was commenced in the following manner:  LEFT  LEFT  AWG 360' OF 23/8  d that the work of plugging and filling of the following manner:  CFECTAL SEAL CONTROLL SEAL CONTRO	ng
TYPE CEMENT CEME	FROM 1250' 1660' 900' 450' 170'  GEL BETW monument: 7"Ch: mpleted on the/s eponents saith not.	TO  1000'  1000'  150'  350'  0'  Gay of May  Sing 36"ABov  Tay of May  Jay of May  Aday of May	PIPE REMOVED  PIPE REMOVED  11001 OF 23/8" TU  160' OF 7" CASIM  CEMENT PLUGS  (E GROWN NAP) THY and  2013.  Disters  Way 2018	that said work was commenced in the following manner:  LEFT  LEFT  AWG 360' OF 23/8  d that the work of plugging and filling the following manner:  OFFICIAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL SE	ng